

Coloured Glaze Time




NOTICE OF ASSEMBLE

Tips for assembling


1. Pictures shown on the package may be slightly different from the actual product.
2. All the materials are taken in the operation step, put the remaining materials back into the original pocket until the installation is completed. (Avoid material loss during installation)
3. The dimensions indicated in the step diagram are "cm".
4. If there have template paper material, please cut the material according to the template to avoid mistakes..
5. According to the part rule example at the bottom of this page, refer to the part on the part number drawing, find the material object and compare with the material list, confirm and install. (Wooden parts only)
6. Glue should not be applied too much, so as not to dry longer, overflow will affect the effect of the finished product.
7. Part shapes may differ from the photographs depending on the production batch

Testing on LED function

Be sure to test the LED lights before making the lighting, note that the LED white wire to the negative, gray wire to the positive reference to the following figure operation test.



How to assemble the battery holder



Examples of parts rule:

A01: The parts are directly in the box; B01: The parts are in the B bag; C01: The parts are in the C bag, and so on (Note: The printing paper is displayed in the step A16-01: The printing paper is placed directly in the box, The part number is A16-01)

About the use of glue

Method for using glue:

1. After applying the glue, let it dry for a few seconds before pasting.
2. Fix it slightly with your hands, and finally put it aside to dry;

Tips:

When pasting the plane printing paper, a piece of waste bank card or telephone card can be used to wipe evenly after the glue is smeared on the wood board, and then the printing paper is pasted to squeeze out the air inside.







Types of glue:

White latex: Used for adhering soft materials, such as wood and paper.
Alcoholic Glue: Used for adhering hard materials such as cloth, plastic, beads, wire, dust cover, etc.




Piano



Before making, cut out J01 and J02 according to the templates.






Glue printed paper A16-1 to the back of the piano.



Glue J02 and J25-1 together.

Stick J02 and J25-1 onto J01, J25-1 facing upward.



Cut off the extra A16-4.

Tea table

Tea table assembly steps:

- 1. Attach A14-1 to A16-7-1.
- 2. Attach A16-7-2 to A16-7-1.
- 3. Attach A16-7-3 to A16-7-1.
- 4. Attach F03 and F01 to A16-7-3.
- 5. Attach F02 to A16-7-2.
- 6. Attach F03 to A16-7-2.
- 7. Attach F01 to A16-7-2.
- 8. Attach A16-7-3 to A16-7-2.
- 9. Attach F04 to A16-7-2.
- 10. Attach A16-7-2 to F04.
- 11. Turn A16-7-2 over and stick it on F04.
- 12. Attach A16-7-2 to F04.
- 13. Attach L19:0.4cm to A16-7-2.
- 14. Attach F04 and F03 to A16-7-2.
- 15. Attach F04 to A16-7-2.
- 16. Attach F04 to A16-7-2.
- 17. Attach A16-8-1 to F04.
- 18. Attach A16-8-1 to F04.
- 19. Attach J28-1 to A16-8-1.
- 20. Roll the paper as shown in the picture.
- 21. Attach the rolled paper to J28-1.
- 22. Attach the rolled paper to J28-1.
- 23. Put flowers and L13 on K02.

Refrigerator assembly steps:

- 1. Attach A14-3 to A14-2.
- 2. Attach A14-3 to A14-2.
- 3. Attach A14-4 to A14-2.
- 4. Attach A14-4 to A14-2.
- 5. Attach A16-9 to A14-2.
- 6. Attach A16-9 to A14-2.
- 7. Attach A16-9 to A14-2.


Materials and parts:

- A14-1, A14-2, A14-3, A14-4, A16-7-1, A16-7-2, A16-7-3, A16-8-1, A16-8-2, A16-8-3, J25-3, J28-1, L13, L19:0.4cm, K01, K02, K31, K32, F01, F02, F03, F04, L02:0.8cm, L03:0.4cm, 0.3cm, 0.5cm.

Wall cabinet



Cupboard





Pillow




Big sofa

Before making, cut out J01 and J02 according to the templates.



Small sofa

Before making, cut out J01 and J02 according to the templates.




1 A15-2 	2 	3 A16-18 	4 	5
6 J02 (small sofa non-woven cushion) 	7 	8 J01 (cushion for small sofa) 	9 	10

(Note: pull the cloth to the four corners to prevent the corners from leaking)

11 J01 (backrest for small sofa 1) J02 (small sofa non-woven backrest) Wrap the back of the small sofa. 	12 	13 J01 (backrest for small sofa 2) 	14 	15 	16 	17 K26
--	--------	---	--------	--------	--------	---------------

Stool


Before making, cut out J01 and J02 according to the templates.



1 A16-19 A15-3 Wrap the black edge of A15-3 with A16-19 	2 	3 	4 J02 (stool non-woven fabric) 	5
6 J01 (stool) 	7 	8 	9 K26 	10

(Note: pull the cloth to the four corners to prevent the corners from leaking)

Dinner plate



1 A16-20-1 	2 	3 A16-20-2 	4 K34:0.4cm 	5 	6 K32:0.2cm K33:0.2cm J25-5 (need 2 pieces) K35 Make another plate the same way.
-------------------	-------	-------------------	--------------------	-------	---

Dining table

Before making, cut out J03 according to the templates

10

F16

11

J03 (cushion for stool 3)

(need 2pieces)

12

A14-15

J03(cushion for stool 1)

13

14

15

J03 (cushion for stool 2)

16

(need 2pieces)

17

J03 (backrest for stool)

Fold J03 in half along the red dotted line.

18

(need 2pieces)

19

F14

F15

20

(need 2pieces)

21

A14-14

A16-21-2

22

23

A16-21-1

24

25

F18

F09

F18

26

F18

F18

27

28

29

0.3cm

0.5cm

L02:0.8cm

30

A16-23-2

Roll up A16-23-2.

31

K03

Put A16-23-2 in K03.

32

A16-23-1






33

(need 2pieces)











34

35





Dining room chandelier



Second floor chandelier



Computer













Potted plant



Office table

Before making, cut out J24 according to the template.



Previously folded A16-24







(Note: PVC is inside the cabinet.)



Office chair


Before making, cut out J02 and J11 according to the templates.




Bend a chair into above shape of the draw



Hanging pictures



A16-27-1



A13-2

A13-2


A13-2



A13-3

A13-3

A13-3








J27-4-1
J27-4-1
J27-4-1

J27-4-2
J27-4-2



A16-27-2

J27-4-2









Do the same with the other hanging pictures.



Do the same with the other hanging pictures.




Bed



Fold a book like a picture.

Bedside Table

Before making, cut out J07 according to the templates.



Wrap A16-30 in linen J07

Cut off the excess fabric.

5 

6 

7 

8 

Before making, cut out J05 according to the templates.

A16-30-1

J05(basket)

J18:40cm

J16:6.5cm

A14-16-1

1 

2 

3 

4 

5 

6 

7 

Before making, cut out J07 according to the templates:

Slipper

J07(slipper 1)

J07(slipper 2)

J07(slipper 1)

J07(slipper 2)

A16-31

J25-9

L05:0.3cm*2

1 

2 

Cut J07 in the position of the dotted line on the picture.

3 

4 

5 

6 

7 

8 

9 

Wrap up the cut cloth

J25-9

J07(slipper 2)

Wrap up the cut cloth

L05:0.3cm

Do the same with the other shoe.

Before making, cut out L07 and L11 according to the drawing.

BOOKCASE

H02

H03

H03

H05

G22

H01

H04

A16-33-1

L03:1.3cm

A16-33-2

K20

K20

A16-32-2

A16-32-3


A16-32-1


A16-33-3


L09


L07


L11


1 


2 

3 

4 

5 

6 

7 

Flip over and stick on A16-32-3.

A16-32-3

0.3cm

0.7cm

0.3cm

L03:1.3cm

9 

10 

11 

12 

13 

14 

15 

Cut out L11 as shown.

K20

L11

K20

L11

L09

L07

L07

K20

L07

L11

A16-33-1



Put the books in order as before.

A16-33-3












Cat litter

Before making, cut out J02 and J07 according to the templates.



Before making, cut out J02 according to the templates.

Cat tower



Bathroom cabinet

Before making, cut out J26 according to the template.

Parts list: A14-18, A14-20, A14-17, J26(mirror), A14-19, A16-35, J19, H06, K10, K11, K12, A16-36-1, A16-36-2, J27-5.

Dimensions: L03:2cm, L01:1.8cm.

1 2 3 4 5 6 7 8

1 A14-17, 2 Tear off the blue film, 3, 4 J26(mirror), 5 A14-17, 6 A14-18, 7 A16-36-2, 8 A14-20, A14-19.

9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

9 A14-20, 10 A14-20, 11 A16-36-1, 12 A16-36-1, 13 K11, 14 L03:1cm, 15 Roll the cotton J19 into a small ball. 1cm, L03:1cm, 16 K12, 17 0.4cm, 0.4cm, 1cm, L01:1.8cm, 18, 19 H06, A16-35, 20, 21, 22, 23.

Carpet

1 2 3 4

1 J16:100cm, 2 Loop the cotton rope around A16-37 as shown in the picture, 3, 4.


Steps

1 2 3 4 5


1 A16-37-1, 2 A14-21, 3 (need 2pieces), 4 A14-23, A14-22, 5 A14-22.



Roman column



Bathroom



Chandelier on the first floor



Front Roof

1 C15 A16-43

2 C15 A16-43

3 27

4 28

Stairs

1 A16-44-1 A11 8cm 7cm gap B14 B14 B14 B14 B15 B16 B17 B18 B18 B18 B18 B18 B18 B18 B18

2 A11 8cm 7cm gap

3 A16-44-1

4 B14 B14

5 B14 B14 B14 B14 B14

6 B18 B18 B18 B18 B18 B18 B18 29

7 A16-44-2 B12

8

9 B16 B15

10 B17 B18 30

Wall hanging

1 H07 L13

2 H07

3 wrap A14-25 with printed paper A16-45

4 (need 4 pieces)

5 J02 (ledge non-woven fabric) Roll up the non-woven fabric as shown in the figures

6

7 Make two cups according to the previous method.

8

9 Before making, cut out J02 according to the templates. A14-25 A14-25 A14-25 A14-25 A16-45 A16-45 A16-45 A16-45 J02 (ledge non-woven fabric) K04 K04 K05 K05 L02:1.6cm A16-23-1 A16-23-2 A16-46 K13 K14 K15 K16

10 A16-46 K14 K16 A16-46 A16-46 K13 K15

11 A16-46 A16-46 K04 K04 K05 K05

12

Potted plant 2

1 L04:3cm*2 L04:2cm*2 L04:2.5cm*2 L04:3.5cm*2 A16-46 J27-6 A16-47-2 A16-47-3 J25-11 A16-47-1

2 A16-47-2 A16-47-1

3 A16-47-3


Cut in the middle with a knife.

16


<p>4</p> <p>A16-47-2</p>	<p>5</p>	<p>6</p> <p>J27-6</p>	<p>7</p>	<p>8</p> <p>Bend the wire as pictured.</p>	<p>9</p> <p>Glue one end of the wire together.</p>	<p>10</p> <p>To stick in a flowerpot</p>
<p>11</p> <p>A16-46</p> <p>Fold in half and stick</p>	<p>12</p> <p>Cut out the leaves.</p>	<p>13</p> <p>Stick the leaves one by one on the wire.</p>	<p>Flower</p> <p>K40 K40 L16 L17 K28 K28 K29 K29</p> <p>1 1.8cm L16 K28</p> <p>Use L16 to wrap K28 to make a ball with a diameter of 1.8 cm.</p>		<p>2</p> <p>L17</p> <p>Affix L17 to the surfaces.</p>	<p>3</p> <p>K40</p> <p>4</p> <p>(need 2 pieces)</p>
<p>Outer frame parts</p> <p>1</p> <p>A16-48-1</p> <p>A05</p>	<p>2</p>	<p>3</p> <p>A16-48-2</p> <p>A05</p> <p>Turn over and stick on printed paper A16-48-2</p>	<p>4</p> <p>A16-49-1</p>	<p>5</p> <p>(wooden edge)</p> <p>A06</p> <p>Pay attention to the position of the wooden edge.</p>	<p>6</p>	<p>7</p> <p>(wooden edge)</p> <p>To hollow out the window print.</p>
<p>8</p> <p>A16-49-2</p> <p>(wooden edge)</p> <p>A06</p> <p>Turn over and stick on printed paper A16-49-2</p>	<p>9</p> <p>(wooden edge)</p>	<p>10</p> <p>(wooden edge)</p> <p>To hollow out the window print.</p>	<p>11</p> <p>J12:9cm</p> <p>J06 (first floor curtain)</p>	<p>12</p>	<p>13</p> <p>B06</p>	<p>14</p> <p>A16-50-1</p> <p>(wooden edge)</p> <p>A07</p> <p>Pay attention to the position of the wooden edge.</p>
<p>14</p> <p>To hollow out the window print.</p>	<p>15</p> <p>A16-50-2</p> <p>A07</p> <p>Turn over and stick on printed paper A16-50-2.</p>	<p>16</p>	<p>17</p> <p>To hollow out the window print.</p>	<p>18</p> <p>J12:9cm</p>	<p>19</p> <p>J15:13cm</p> <p>Glue line J15 along the gray links.</p>	<p>20</p> <p>J22 J21 J22 J20 J20 J20 J21 J20</p> <p>Stick on the cotton ball.</p>
<p>21</p> <p>B07</p>	<p>22</p> <p>A16-51</p> <p>Note the position of the hypotenuse, aligned at the top.</p> <p>(top view) (hypotenuse)</p> <p>The side to which printing paper is applied</p> <p>A08</p>	<p>23</p> <p>Wrap A08 with A16-51.</p>	<p>24</p> <p>31</p> <p>To hollow out the window print.</p>	<p>25</p> <p>D05</p> <p>D06</p>	<p>26</p> <p>D05 D05 D05</p> <p>3.4cm 3.4cm 3.4cm</p>	<p>27</p> <p>D06</p> <p>32</p>

<p>28</p> <p>31</p> <p>32</p>	<p>29</p> <p>Note the position of the hypotenuse, aligned at the top.</p> <p>(top view) (hypotenuse) A16-52</p> <p>A08</p> <p>The side to which printing paper is applied.</p>	<p>30</p>	<p>31</p> <p>To hollow out the window print.</p>	<p>32</p> <p>second floor chandelier</p> <p>33</p> <p>Glue the second floor chandelier to the middle of the roof.</p>	<p>33</p> <p>Note the position of the hypotenuse.</p> <p>(hypotenuse) A16-53</p> <p>A09</p> <p>The side to which printing paper is applied.</p>	<p>34</p> <p>Wrap A09 with A16-53.</p>
<p>35</p> <p>Note the position of the hypotenuse, aligned at the top.</p> <p>(top view) (hypotenuse) A16-54</p> <p>A09</p> <p>The side to which printing paper is applied.</p>	<p>36</p> <p>34</p>	<p>37</p> <p>A16-55</p> <p>A10</p>	<p>38</p> <p>Wrap A10 with A16-55.</p>	<p>39</p> <p>(need 2 pieces)</p>	<p>40</p> <p>A10</p> <p>0.2cm</p> <p>24</p>	<p>41</p> <p>27</p>
<p>42</p> <p>35</p>	<p>43</p> <p>J24 (french window on the first floor)</p> <p>B08</p>	<p>44</p> <p>36</p>	<p>45</p> <p>J24 (french window on the second floor)</p> <p>D02</p>	<p>45</p> <p>37</p>	<p>46</p> <p>A16-56</p> <p>B11</p>	<p>47</p> <p>(need 4 pieces)</p> <p>38</p>
<p>48</p> <p>A16-57</p> <p>A02</p>	<p>49</p> <p>39</p>	<p>50</p> <p>A16-58</p> <p>A04</p>	<p>51</p> <p>40</p>	<p>52</p> <p>M01 protruding 4cm</p> <p>4cm</p> <p>5cm</p> <p>4cm</p> <p>dining room chandelier</p> <p>4cm</p> <p>5.2cm</p> <p>7.2cm</p> <p>chandelier on the first floor</p> <p>Stick the chandelier according to the position on the drawings.</p>		
<p>53</p> <p>A16-59</p> <p>A03</p>	<p>54</p>	<p>55</p> <p>21</p> <p>bathroom cabinet</p> <p>wall cabinet</p> <p>A16-60</p>	<p>56</p> <p>picture</p> <p>wall hanging</p>	<p>57</p> <p>0.2cm</p> <p>1.6cm</p> <p>L02:2cm</p> <p>Cut out 2cm of L02 and bend it to the shape shown in the drawing.</p>	<p>58</p> <p>41</p> <p>J25-12</p> <p>Cut out J25-12 and glue it.</p>	
<p>59</p> <p>41</p> <p>42</p> <p>4.5cm</p> <p>4cm</p> <p>Stick in place as shown in the drawings.</p>	<p>upgraded version (accessories need to be purchased separately)</p> <p>N01 music movement (1 piece)</p> <p>N02 movement handle (1 piece)</p> <p>N03 movement screws (3 pieces)</p>			<p>60</p> <p>(front view)</p> <p>N01</p>	<p>61</p> <p>(back view)</p> <p>N02</p> <p>N03</p> <p>N02</p> <p>N02</p>	

Outer frame



Stick A12 in position on the drawings.




Stick the hanging picture on the position of the drawing, and then stick the printed paper A16-59-1



Stick the wall shelf in place on the diagram

















Affix an led lamp M01 to the cut out












How to make potted plant 3 is on page 23.










Wrap the MDF board with A16-65, and pierce the gap on the drawing with a tool to facilitate wiring.










Stick on the base, taking care that the wires of the base pass through the hole of A02 and join at the same place as the previous wired.



How to assemble the battery holder
Statement: the lamp wires cannot be inserted into the output socket.
 - Can use 2 AAA batteries
 - Please notice the place of anode and cathode when put in the batteries
 - Rechargeable batteries are not blunt electricity
 - Rechargeable batteries can only be charged under adult supervision
 - Rechargeable batteries should be removed from the toy before charging
 - Different types of batteries cannot mix
 - Do not mix new batteries in use with semi-used batteries.
 - Run out of battery should be removed from the toy
 - The power shall not be short circuit





Installation of dust cover


dust cover
(Upgrade version accessories need to be purchased separately)




scale:1:10
K04 plexiglass(transparent)
30*20*0.18(1 piece)




scale:1:10
K05 plexiglass(transparent)
30*23*0.18(2 pieces)



scale:1:10
K06 plexiglass(transparent)
23*19.64*0.18(2 pieces)



stick K05 and K06 on K04.




stick five pieces of plexiglass dust cover as shown




Ripped one side of kraft paper, leaving one side of kraft paper


Take out the plexiglass and tear off the kraft paper with text on each piece of plexiglass




The kraft paper that has been ripped off faces inwards, and the kraft paper that has not been ripped out faces outwards.




Use M03 to fix the junction of two pieces of plexiglass. (use transparent tape to replace M03)




The junction of every two pieces of plexiglass needs to be fixed with M03 (to prevent the plexiglass falling off)




stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface).




The junction of two pieces of plexiglass needs to be fixed with M03 (to prevent the plexiglass falling off)




stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)




The junction of two pieces of plexiglass needs to be fixed with M03 (to prevent the plexiglass falling off)



stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)



the dust cover need to be glued 8 interfaces




Leave it for 1 hour. After the glue dries out, tear off a layer of kraft paper outside the plexiglass

With dust cover at night



With dust cover at daytime







The instruction manual should be keep, after assembled