

NOTICE OF ASSEMBLE


Tips for assembling

- 1. Picures shown on the package may be slightly different from the actual product
- 2. All the materials are taken in the operation step, put the remaining materials back into the original pocket until the installation is completed. (Avoid material loss during installation)
- 3. The dimensions indicated in the step diagram are "cm".
- 4. If there have template paper material, please cut the material according to the template to avoid mistakes.
- 5. According to the part rule example at the bottom of this page, refer to the part on the part number drawing, find the material object and compare with the material list, confirm and install. (Wooden parts only.)
- 6. Glue should not be applied too much, so as not to dry longer, overflow will affect the effect of the finished product.
- 7. Part shapes may differ from the photographs depending on he production batch.


Testing on LED function

Be sure to test the LED lights before making the lighting, note that the LED white wire to the negative, gray wire to the positive reference to the following figure operation test.





How to assemble the battery holder



Statement: the lamp wires cannot be inserted into the output socket.

- - Can use 7 batteries
- Please notice the place of anode and cathode when pit in the batteries
- Rechargeable batteries are
- Rechargeable batteries can only be charged under adult supervision
- Rechargeable batteries should be removed f
- rom the toy before charging

 Different types of batteries cannot mix; Do not mix new batteries in use with semi-usedbatteries
- - Run out of battery should be removed from the toy
- The power shall not be short circuit

Example of parts rule:

A01:The parts are directly in the box.;B01:parts in bag B;C01:part in bag C, and so on. (Note: display the printing paper A15-01 in the step: the printing paper is placed directly in the box, part number is A15-01)

details of minature kit

Name	Material package	Name	Material package
printing paper	Bag A-A15(All printing and template papers are shown on A15paper, total 4pieces of A3)	pavilion	F bag + G bag + J bag + K bag + printing paper
dining table	B bag + H bag + J bag + K bag +printing paper	roof&steps &lampshade	F bag + G bag + J bag + printing paper
Kitchen cabinet	B bag + H bag + J bag + K bag + printing paper	garden	A bag + F bag + G bag + H bag + J bag + K bag+ printing paper
cupboard	B bag + J bag + K bag+ printing paper	wall&Installation of battery box	G bag + H bag + J bag + K bag + printing paper
tea table	B bag + H bag + J bag + K bag + printing paper		
cabinet	C bag + H bag + J bag + K bag + printing paper		
lampshade	Cbag		
bed	D bag + H bag+printing paper		
bedside table	D bag + H bag + J bag+ K bag + printing paper		
small accessories	D bag + H bag + J bag+ K bag + printing paper		
pillow	H bag+ printing paper		
washing table	C bag + H bag + J bag + K bag + printing paper		
bathtub	C bag + printing paper		
window	E bag + printing paper		
swing	D bag + H bag + J bag+ printing paper		
wind bell	Jbag + Kbag + printing paper		
wooden shoes	G bag + printing paper		
sushi box	H bag + printing paper		
chess table	D bag + H bag + printing paper		
lampshade	D bag + J bag+ printing paper		
fish pond	Gbag+Hbag+Jbag+printingpaper		
lantern	J bag + printing paper		
floor & walls	A bag + E bag + K bag+ printing paper		
ground floor	E bag + printing paper		
second floor	A bag + E bag + F bag + H bag + J bag + K bag + printing paper		
periphery	A bag+ G bag + printing paper		



Welcome to the little DIY world, now come with me

Thumbnail of material list (reference only)








Thumbnail of printing paper & template paper (reference only)









Symbol description used











Pay attention to the direction of installation material B























stick to material A



































































12

























2




G09

G10





















Pay attention to the direction of the light line and the roof.



















put the light wire through the hole as shown.










20









cut out the part below the dotted line













Wall&Installation of battery box









H16

H17





Please cut out J01 according to the template paper before making.

















Knead 10 ~ 12 pieces cotton balls of about 1.5 cm diameter.

13



Mix H15, H16, H17 together.

Please cover the cotton ball with glue before making it.

11



Installation of dust proof cover (For updated version, the parts need to be purchased separately)



scale 1:10 L04 Transparent cover 32*20*0.18cm 2pieces



scale 1:10 L05 Transparent cover 21.64*20*0.18cm 2pieces




scale 1:10 L06 Transparent cover 32*22*0.18cm



1. Tear off kraft paper of each piece of transparent cover.





2.Paste L04,L05 and L06 together to complete the dust proof cover as shown.

15 How to assemble the battery holder Statement: the lamp wires cannot be inserted into the output socket. statement: the lamp wires cannot be inserted into the culput socket.

- Can use 7 botteries

- Please notice the place of anode and cathode when pit in the batteries

- Rechargeable batteries are not blunt electricity

- Rechargeable batteries can only be charged under adult supervision

- Rechargeable batteries should be removed from the toy before charging

- Different types of batteries cannot mix:

Do not mix new batteries in use with semi-used batteries - - Run out of battery should be removed from the toy

- The power shall not be short circuit . Twist the following wire together:
(I) BLACK wire from the battery box with the WHITE wire from LED bulb.
(II) RED wire from the battery box with the GREY wire from LED bulb. 4. Roll and seal the duly twist copper with the white tape provided. 1. Trim all the LED wiring to the same length Place the battery box in the allocated space. 2.Use a craft blade to carefully skim over the plastic to bare the copper wire. Twist the same color wire together.

> 23 Attention: Please keep the instruction for future enquires after installation.